



Tire Chain Catalog



Contents

Return Policy	1
Warranty	1
Disclaimer	1
Snow Blower and Garden Tractor Chains	2 - 3
Farm Tractor Fit Chart (Standard)	4
Farm Tractor Fit Chart (Metric)	5
Tractor Chains - Ladder Style	6 - 9
Tractor Chains - DUO Style	10 - 13
Tractor Chains - Double Ring	14 - 15
Tire Chains - 9mm Studded	16
Grader Chains - Ladder	17
Skid Steer Tire Chains	18
Chain Adjusters	19
Chain Repair Tools	19
Cross Chain Hooks	19
Side Chain Fasteners and Repair Links	20
Twist Link Replacement Cross Chains	20
Continuous Twist Link Cross Chains	21
Continuous Straight Link Side Chains	21

Return Policy

We accept returns within 30 days from the date of purchase. To be eligible for return, items must be unused and returned in the original packaging. A 15% restocking fee will be applied to all returns.

Authorization must be obtained prior to return. Please contact AGCO customer service at 800-728-1773, Promo Assistance, to receive a Return Goods Authorization. Enclose a copy of the RGA with the return to ensure proper credit is issued.

All returns must be shipped prepaid. Collect shipments will not be accepted.

Freight charges are nonrefundable.

Warranty

The products listed on this catalog are warranted free from defects in workmanship and materials for thirty (30) days from date of delivery to a user, provided product usage guidelines are followed.

No other express or implied warranty of any kind whatsoever (including by way of example and not limitation, any warranty of merchantability or fitness for a particular purpose) is given and no affirmation of Seller, by words or action, shall constitute a warranty. The warranty is made only to the direct customer of North State Sales Co.. North State Sales Co. makes no warranty to any other ultimate user and prohibits the transfer of the warranty given above to its direct customer, to any subsequent purchasers including but not limited to the ultimate user.

The Buyer's sole remedy for breach of any warranty is limited exclusively to obtaining, at the discretion of the Seller, either credit, repair or replacement of any product sold hereunder by which shall be returned to Seller's plant, transportation prepaid, within thirty (30) days after delivery to a user and within ten (10) days of discovery of alleged defect, and which North State Sales' inspection shall determine to be defective. Buyer shall not be entitled to recover any special, incidental or consequential damages. No material shall be returned without written consent of the seller.

Disclaimer

The chain applications listed in this catalog are only a guide. Always pre-fit chains before use. Actual fitment may vary due to differences in tire style, tread design and tread wear. Modification to the chain, such as shortening the chain, may be necessary to provide a proper fit.

Snow Blower and Garden Tractor Chains



NEW FOR 2015

TIRE SIZES	4 Link Spacing		2 Link Spacing		2 Link Spacing – w/ V-Bar		Snow Hog Chains	
	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Tire Chain Part No.	Lbs./Pr. (Lbs.)
3.40/3.00x5	-	-	GT7106	3	GT7106V	3.5	-	-
4.00/4.80x8	-	-	GT1301	8.5	GT1301V	10	GT1301SH	13.5
4.10/3.50x4	-	-	GT7106	3	GT7106V	3.5	-	-
4.10/3.50x5	-	-	GT3302	4.5	GT3302V	6	GT3302SH	9
4.10/3.50x6	-	-	GT3302	4.5	GT3302V	6	GT3302SH	9
5.00/5.70x8	-	-	GT3303	16	GT3303V	13	-	-
5.30/4.50x6	-	-	GT3309	7	GT3309V	9	-	-
6x12	GT5312	10	GT5313	16.5	GT5313V	23	-	-
6x14	GT5312	10	GT5313	16.5	GT5313V	23	-	-
7x14	GT5312	10	GT5313	16.5	GT5313V	23	-	-
7x16	GT1310	19	GT1311	31.5	GT1311V	37.5	-	-
8x12	GT4301	13	GT4300	22	GT4300V	25	-	-
8x15	GT1309	16	GT1307	27	GT1307V	33	-	-
8x16	GT1310	19	GT1311	31.5	GT1311V	37.5	-	-
10/10.5x2.75	-	-	GT3301	6.5	GT3301V	7.5	-	-
10x3.50	-	-	GT3301	6.5	GT3301V	7.5	-	-
10.25x3.25	-	-	GT3301	6.5	GT3301V	7.5	-	-
12x3	-	-	GT3308	4	GT3308V	4.5	-	-
12x3.50x6	-	-	GT3302	4.5	GT3302V	6	GT3302SH	9
12x12	GT5306	18	GT5308	30	GT5308V	34.5	-	-
12.25x3.50x6	-	-	GT3302	4.5	GT3302V	6	GT3302SH	9
13x4.00x6	-	-	GT3301	6.5	GT3301V	7.5	-	-
13x5x6	-	-	GT7129	6	GT7129V	7.5	GT7129SH	10
13x6.50x6	-	-	GT3309	7	GT3309V	9	-	-
14x4.00x6	-	-	GT7129	6	GT7129V	7.5	GT7129SH	10
14x4.50x6	-	-	GT3301	6.5	GT3301V	7.5	-	-
15x5.00x6	-	-	GT3309	7	GT3309V	9	GT1556SH	13
15x6.00x6	-	-	GT3300	9	GT3300V	13	-	-
16x6.50x8	-	-	GT3300	9	GT3300V	13	GT3300SH	14
16x7.50x8	-	-	GT3300	9	GT3300V	13	GT3300SH	14
18x6.50x8	-	-	GT3312	10	GT3312V	13	-	-
18x8.50x8	GT3311	8	GT3307	12	GT3307V	13.5	-	-
18x8.50x10	GT3311	8	GT3307	12	GT3307V	13.5	-	-
18x9.50x8	GT3306	8	GT3305	12.5	GT3305V	17	-	-
18x9.50x9	GT3306	8	GT3305	12.5	GT3305V	17	-	-
20x8x8	GT5318	10.5	GT1308	17.5	GT1308V	21	-	-
20x8.00x10	GT5318	10.5	GT1308	17.5	GT1308V	21	-	-
20x10x8	GT5320	12.5	GT7145	20	GT7145V	22.5	-	-
20X10X10	GT5320	12.5	GT7145	20	GT7145V	22.5	-	-
21x11.00x8	GT5320	12.5	GT7145	20	GT7145V	22.5	-	-
22x9.50x12	GT4301	13	GT4300	22	GT4300V	25	-	-
22x10x12	GT4301	13	GT4300	22	GT4300V	25	-	-
22x11x10	GT5303	15	GT5307	24	GT5307V	28	-	-
23x7.50x12	GT5312	10	GT5313	16.5	GT5313V	23	-	-

(Continued next page)

Snow Blower and Garden Tractor Chains (Continued)



NEW FOR 2015

TIRE SIZES	4 Link Spacing		2 Link Spacing		2 Link Spacing – w/ V-Bar		Snow Hog Chains	
	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Tire Chain Part No.	Lbs./Pr. (Lbs.)
23x8.50x12	GT4301	13	GT4300	22	GT4300V	25	-	-
23x8.50x14	GT5312	10	GT5313	16.5	GT5313V	23	-	-
23x9.50x12	GT5303	15	GT5307	24	GT5307V	28	-	-
23x10x12	GT4301	13	GT4300	22	GT4300V	25	-	-
23x10.5x12	GT5303	15	GT5307	24	GT5307V	28	-	-
24x8.00x14	GT5312	10	GT5313	16.5	GT5313V	23	-	-
24x8.50x12	GT4301	13	GT4300	22	GT4300V	25	-	-
24x8.50x14	GT5312	10	GT5313	16.5	GT5313V	23	-	-
24x9.50x12	GT5303	15	GT5307	24	GT5307V	28	-	-
24x10.50x12	GT5303	15	GT5307	24	GT5307V	28	-	-
24x12x12	GT5301	15	GT5300	24.5	GT5300V	35	-	-
24x13x12	GT5306	18	GT5308	30	GT5308V	34.5	-	-
25x8.5x14	GT1309	16	GT1307	27	GT1307V	33	-	-
25x10x8	GT5301	15	GT5300	24.5	GT5300V	35	-	-
26x10x12	GT5304	18	GT5305	29	GT5305V	33.5	-	-
26x12x12	GT5306	18	GT5308	30	GT5308V	34.5	-	-
27x8.50x15	GT1309	16	GT1307	27	GT1307V	33	-	-
27x9.50x15	GT5304	18	GT5305	29	GT5305V	33.5	-	-
27x10.50x15	GT5304	18	GT5305	29	GT5305V	33.5	-	-
27x12x12	GT5306	18	GT5308	30	GT5308V	34.5	-	-
27x12.50x15	GT5316	25	GT5323	42	GT5323V	63	-	-
28x8.50x15	GT5304	18	GT5305	29	GT5305V	33.5	-	-
29x12x15	GT5316	25	GT5323	42	GT5323V	63	-	-
29x1250x15	GT5316	25	GT5323	42	GT5323V	63	-	-
31x13.5x15	3229CT	39	-	-	-	-	-	-
31x15.5x15	GT9100 GT9100HD (Heavy Duty)	33 57	GT5324 GT5324HD (Heavy Duty)	57 100	GT5324V -	79 -	-	-
33x12.5x15	GT9100 GT9100HD (Heavy Duty)	33 57	GT5324 GT5324HD (Heavy Duty)	57 100	GT5324V -	79 -	-	-
46-16-20	2612G	110	-	-	-	-	-	-

Farm Tractor Fit Chart

TIRE SIZE	LADDER	DUO	DOUBLE RING	9 mm Studded	TIRE SIZE	LADDER	DUO	DOUBLE RING	9 mm Studded
	Page No. 6 - 9	Page No. 10 - 13	Page No. 14 - 15	Page No. 16		Page No. 6 - 9	Page No. 10 - 13	Page No. 14 - 15	Page No. 16
STANDARD					STANDARD				
7.2-24	RM832	----	NW732	----	13.6-38	RM866	DU0246	NW766	----
8.3-24	RM822 / RM822-2	----	NW732	----	13.9-36	RM866	DU0242	NW766	----
9.5-16	RM829 / RM829-2	----	----	----	14.00-17.5	RM850	----	----	14175S9
9.5-24	RM832	DU0214	NW732	----	14.9-24	RM859	DU0240	NW772	14924S9
9.5-28	RM836 / RM836-2	DU0214	NW736	----	14.9-26	RM869	DU0250	NW773	14926S9
9.5-32	RM838	DU0226	NW738	----	14.9-28	RM869	DU0252	NW774	14926S9
9.5-36	RM862	DU0218	NW744	----	14.9-30	RM876	DU0252	NW777	----
9.5-38	RM862	DU0218	NW744	----	14.9-38	RM871	DU0254	NW779	----
9.5R44	----	DU0227	----	----	14.9-46	----	DU0256	----	----
9.5R48	----	DU0236	----	----	15.00-19.5	RM836 / RM836-2	----	----	15195S9
10.00-16.5	RM829 / RM829-2	----	----	----	15-22.5	RM852	----	NW752	----
10-32	----	DU0218	----	----	15.5-38	RM879	DU0270	NW779	----
10-38	----	DU0232	----	----	16.5-22.5	RM858	----	NW752	----
10.5/80-18	RM822 / RM822-2	DU0225	NW732	----	16.9-24	RM874	DU0262	NW774	16924S9
11.00-16	RM822 / RM822-2	----	NW732	----	16.9-26	RM876	DU0262	NW777	----
11-28	----	DU0218	----	----	16.9-28	RM876	DU0262	NW777	16928S9
11-36	----	DU0232	----	----	16.9-30	RM877	DU0266	NW777	16928S9
11-38	----	----	NW766	----	16.9-32	RM877	DU0266	NW778	----
11.2-16	RM822 / RM822-2	DU0214	----	----	16.9-34	RM879	DU0270	NW779	16934S9
11.2-20	RM832	----	NW732	----	16.9-38	RM880	DU0272	NW787	16938S9
11.2-24	RM836 / RM836-2	DU0214	NW736	11224S9	17.5-24	RM874	DU0263	----	17524S9
11.2-28	RM838	DU0229	NW738	11228S9	17.5L24	RM874	DU0263	----	17524S9
11.2-32	----	DU0218	NW744	----	17.5-25	----	DU0268	----	16924S9
11.2-34	RM846	DU0224	NW744	----	18.4-16.1	RM881	DU0264	NW774	----
11.2-36	RM846	DU0224	NW746	----	18.4-24	RM883	DU0268	NW777	----
11.2-38	RM862	DU0232	NW746	----	18.4-26	RM883	DU0271	NW783	18426S9
11.2-44	----	DU0236	NW766	----	18.4-28	RM884	DU0271	NW778	18426S9
11.2R48	----	DU0247	----	----	18.4-30	RM885	DU0271	NW785	16934S9
12.00-16.5	RM822 / RM822-2	DU0225	----	----	18.4-34	RM887	DU0273	NW787	16938S9
12-28	----	DU0242	----	----	18.4-38	RM889	DU0272	NW789	18438S9
12-36	----	DU0246	----	----	18.4-42	RM894	DU0277	----	----
12.4-16	RM836 / RM836-2	----	NW736	----	18.4-46	----	DU0277	----	----
12.4-20	----	----	----	11224S9	19.5L24	RM883	DU0268	NW783	----
12.4-24	RM852	DU0229	NW752	11228S9	20.8-34	RM890	DU0272	NW790	----
12.4-28	RM856	DU0218	NW756	12428S9	20.8-38	RM892	DU0276	NW790	----
12.4-36	RM862	DU0232	----	----	21L-24	RM885	DU0275	NW785	----
12.4-38	RM862	DU0232	NW764	----	21.5-16	RM882	DU0264	----	----
12.4-40	RM866	----	NW766	----	21.5L16.1	RM882	DU0264	NW773	----
12.4-42	RM866	----	NW766	----	23.1-26	RM891	DU0280	NW791	----
12.4-48	----	DU0259	----	----	23.1-28	----	DU0280	----	----
12.5-18	RM822 / RM822-2	----	NW752	----	23.1-30	RM893	DU0281	NW790	----
12.5-20	RM836 / RM836-2	----	NW752	----	23.1-34	RM895	DU0282	NW795	----
12.5/80-18	RM836 / RM836-2	----	NW738	14175S9	24.5-32	----	DU0282	----	----
13.00-24	----	DU0242	----	----	28L-26	----	----	NW790	----
13.50-16.1	RM838	DU0214	NW738	----	28.1-34	----	DU0282	----	----
13.6-16	RM850	----	NW738	----	33x15.5-16.5	RM852	----	----	----
13.6-24	RM858	DU0240	NW756	12428S9	40x19x19.5	----	DU0264	----	----
13.6-26	RM858	DU0240	NW758	----	41x14x20	RM858	DU0240	NW758	----
13.6-28	RM859	DU0242	NW759	13628S9	43x16.00-20	RM852	----	----	----
13.6-36	RM866	DU0246	NW764	----	44x18-20	RM869	----	----	----

Contact your FPM for chain information on tire sizes not listed.

Farm Tractor Fit Chart

TIRE SIZE	LADDER	DUO	DOUBLE RING	9 mm Studded	TIRE SIZE	LADDER	DUO	DOUBLE RING	9 mm Studded
	Page No. 6 - 9	Page No. 10 - 13	Page No. 14 - 15	Page No. 16		Page No. 6 - 9	Page No. 10 - 13	Page No. 14 - 15	Page No. 16
METRIC					METRIC				
210/95-32	RM856	DU0240	----	----	420/85-28	RM876	DU0262	----	----
210/95-36	RM856	DU0218	----	----	420/85-30	RM877	DU0266	----	----
220/85-24	RM822 / RM822-2	----	----	----	420/85-34	----	DU0270	----	----
230/95-38	RM880	DU0272	----	----	420/90-30	RM877	DU0266	----	----
230/95-40	----	DU0266	----	----	440/65-24	----	DU0240	----	----
240/85-24	RM832	DU0214	----	----	440/80-28	RM884	DU0269	NW777	----
270/95-36	RM876	DU0262	----	----	445/65-19.5	2612G	----	----	----
280/85-24	RM836 / RM836-2	----	----	----	460/70-24	RM874	DU0262	----	----
290/95-34	RM876	DU0262	----	----	460/85-26	RM883	DU0268	----	----
315/75-15	RM822 / RM822-2	DU0225	----	----	460/85-30	RM885	DU0271	----	----
320/65-18	RM836 / RM836-2	----	----	----	460/85-34	RM887	DU0273	----	----
320/70-24	RM836 / RM836-2	DU0226	----	----	480/65-28	RM869	DU0250	----	----
320/70-28	RM838	DU0229	----	----	480/70-24	RM874	DU0262	----	----
320/85-20	RM838	DU0218	----	----	480/70-28	RM876	DU0262	----	----
320/85-24	RM859	----	----	----	480/70-30	RM877	DU0266	----	----
320/85-28	RM856	DU0218	----	----	480/70-34	RM879	DU0270	----	----
320/85-34	RM876	DU0242	NW760	----	480/80-30	----	DU0271	----	----
320/85-36	RM877	----	----	----	480/80-38	----	DU0272	----	----
320/85-38	RM885	DU0271	----	----	480/80-42	RM894	DU0277	----	----
320/90-42	RM880	DU0272	----	----	480/80-46	----	DU0277	----	----
320/95-34	RM876	DU0262	----	----	480/85-26	RM883	DU0268	----	----
340/80-18	RM836 / RM836-2	----	NW732	----	480/85-34	RM887	DU0273	NW787	----
340/85-24	RM856	DU0240	NW752	----	495/55-22.5	2612G	----	----	----
340/85-28	RM859	DU0242	NW758	----	500/70-34	RM879	DU0270	----	----
355/80-20	RM836 / RM836-2	DU0226	----	----	520/70-26	RM883	DU0268	----	----
360/70-20	RM838	DU0218	----	----	520/70-30	RM885	DU0271	----	----
360/70-24	RM859	DU0242	----	----	520/70-34	RM887	DU0273	----	----
360/70-28	RM856	DU0218	----	----	520/85-38	RM892	DU0276	----	----
380/70-24	RM856	DU0240	----	----	540/65-26	RM876	DU0262	----	----
380/70-28	RM859	DU0242	----	----	540/65-28	RM876	DU0262	----	----
380/85-24	RM859	----	NW756	----	540/65-30	RM877	DU0266	----	----
380/85-30	RM876	DU0252	----	----	540/65-34	RM885	----	----	----
380/85-38	RM879	DU0270	----	----	540/65-38	RM880	DU0272	----	----
385/85-34	RM885	DU0271	----	----	550/65-25	2636G	----	----	----
385/95-24	2615G	----	----	----	550/70-25	2636G	----	----	----
395/80-20	2615G	----	----	----	600/65-25	2642G	----	----	----
400/70-20	RM858	----	----	----	600/65-28	RM877	DU0266	----	----
400/70-24	RM856	DU0240	----	----	600/65-34	RM887	DU0273	----	----
404/70-20	2612G	----	----	----	625/70-20	2645G	----	----	----
420/65-24	RM859	DU0242	----	----	650/65-38	RM892	DU0276	----	----
420/65-28	RM856	DU0218	----	----	650/75-32	----	DU0278	----	----
420/70-24	RM869	DU0250	NW756	----	710/70-38	2657G	----	----	----
420/70-26	RM876	DU0262	----	----	750/65-25	2657G	----	----	----
420/70-30	RM876	DU0252	NW759	----	755/70-25	2657G	----	----	----
420/80-46	----	DU0256	----	----	800/65-32	2657G	----	----	----
420/85-24	RM874	DU0262	----	----					

Contact your FPM for chain information on tire sizes not listed.

Tractor Chains - Ladder



DESIGNED FOR MUD AND ROAD SERVICE

TIRE SIZES	Pre-fit chains prior to use. Tire size and lug pattern may vary by tire manufacturer.			
	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Replacement Cross Chain	Cross Chains per ½ Pair
7.2-24	RM832	72	6434N	12
8.3-24	RM822 *	66	6434N	11
	RM822-2 **	106	6434N	21
9.5-16	RM829 *	56	6434N	9
	RM829-2 **	88	6434N	17
9.5-24	RM832	72	6434N	12
9.5-28	RM836 *	81	6445N	12
	RM836-2 **	140	6445N	23
9.5-32	RM838	94	6445N	14
9.5-36	RM862	121	6445N	18
9.5-38	RM862	121	6445N	18
10.00-16.5	RM829 *	56	6434N	9
	RM829-2 **	88	6434N	17
10.5/80.18	RM822 *	66	6434N	11
	RM822-2 **	106	6434N	21
11.00-16	RM822 *	66	6434N	11
	RM822-2 **	106	6434N	21
11.2-16	RM822 *	66	6434N	11
	RM822-2 **	106	6434N	21
11.2-20	RM832	72	6434N	12
11.2-24	RM836 *	81	6445N	12
	RM836-2 **	140	6445N	23
11.2-28	RM838	94	6445N	14
11.2-34	RM846	113	6445N	17
11.2-36	RM846	113	6445N	17
11.2-38	RM862	121	6445N	18
12.00-16.5	RM822 *	66	6434N	11
	RM822-2 **	106	6434N	21
12.4-16	RM836 *	81	6445N	12
	RM836-2 **	140	6445N	23
12.4-24	RM852	88	6445N	13
12.4-28	RM856	101	6445N	15
12.4-36	RM862	121	6445N	18
12.4-38	RM862	121	6445N	18
12.4-40	RM866	136	7420N	20
12.4-42	RM866	136	7420N	20
12.5-18	RM822 *	66	6434N	11
	RM822-2 **	106	6434N	21
12.5/80-18	RM836 *	81	6445N	12
	RM836-2 **	140	6445N	23
12.5-20	RM836 *	81	6445N	12
	RM836-2 **	140	6445N	23
13.50-16.1	RM838	94	6445N	14
13.6-16	RM850	74	7420N	10
13.6-24	RM858	102	7420N	14
13.6-26	RM858	102	7420N	14
13.6-28	RM859	109	7420N	15
13.6-36	RM866	136	7420N	20

*4 link cross chain spacing

** 2 link cross chain spacing

(Continued next page)

Tractor Chains - Ladder (Continued)



DESIGNED FOR MUD AND ROAD SERVICE

TIRE SIZES	Pre-fit chains prior to use. Tire size and lug pattern may vary by tire manufacturer.			
	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Replacement Cross Chain	Cross Chains per ½ Pair
13.6-38	RM866	136	7420N	20
13.9-36	RM866	136	7420N	20
14.00-17.5	RM850	74	7420N	10
14.9-24	RM859	109	7420N	15
14.9-26	RM869	115	7420N	16
14.9-28	RM869	115	7420N	16
14.9-30	RM876	129	7426N	16
14.9-38	RM871	144	7420N	20
15.00-19.5	RM836 *	81	6445N	12
	RM836-2 **	140	6445N	23
15-22.5	RM852	88	6445N	13
15.5-38	RM879	145	7426N	18
16.5-22.5	RM858	102	7420N	14
16.9-24	RM874	121	7426N	15
16.9-26	RM876	129	7426N	16
16.9-28	RM876	129	7426N	16
16.9-30	RM877	136	7426N	17
16.9-32	RM877	136	7426N	17
16.9-34	RM879	145	7426N	18
16.9-38	RM880	160	7426N	20
17.5-24	RM874	121	7426N	15
17.5L-24	RM874	121	7426N	15
18.4-16.1	RM881	122	9562N	10
18.4-24	RM883	169	9562N	13
18.4-26	RM883	169	9562N	13
18.4-28	RM884	170	9562N	14
18.4-30	RM885	181	9562N	15
18.4-34	RM887	206	9562N	16
18.4-38	RM889	205	9562N	17
18.4-42	RM894	228	9562N	19
19.5L24	RM883	169	9562N	13
20.8-34	RM890	221	6650N	17
20.8-38	RM892	233	6650N	18
21L-24	RM885	181	9562N	15
21.5-16	RM882	146	9562N	12
21.5L-16.1	RM882	146	9562N	12
23.1-26	RM891	214	9567N	14
23.1-30	RM893	229	9567N	16
23.1-34	RM895	258	9567N	17
33x15.5-16.5	RM852	88	6445N	13
41x14.00-20	RM858	102	7420N	14
43x16.00-20	RM852	88	6445N	13
44x18.00-20	RM869	115	7420N	16
210/95-32	RM856	101	6445N	15

*4 link cross chain spacing

** 2 link cross chain spacing

(Continued next page)

Tractor Chains - Ladder (Continued)



DESIGNED FOR MUD AND ROAD SERVICE



TIRE SIZES	Pre-fit chains prior to use. Tire size and lug pattern may vary by tire manufacturer.			
	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Replacement Cross Chain	Cross Chains per ½ Pair
210/95-36	RM856	101	6445N	15
220/85-24	RM822 *	66	6434N	11
	RM822-2 **	106	6434N	21
230/95-38	RM880	160	7426N	20
240/85-24	RM832	72	6434N	12
270/95-36	RM876	129	7426N	16
280/85-24	RM836 *	81	6445N	12
	RM836-2 **	140	6445N	23
290/95-34	RM876	129	7426N	16
315/75-15	RM822 *	66	6434N	11
	RM822-2 **	106	6434N	21
320/65-18	RM836 *	81	6445N	12
	RM836-2 **	140	6445N	23
320/70-24	RM836 *	81	6445N	12
	RM836-2 **	140	6445N	23
320/70-28	RM838	94	6445N	14
320/85-20	RM838	94	6445N	14
320/85-24	RM859	109	7420N	15
320/85-28	RM856	101	6445N	15
320/85-34	RM876	129	7426N	16
320/85-36	RM877	136	7426N	17
320/85-38	RM885	181	9562N	15
320/90-42	RM880	160	7426N	20
320/95-34	RM876	129	7426N	16
340/80-18	RM836 *	81	6445N	12
	RM836-2 **	140	6445N	23
340/85-24	RM856	101	6445N	15
340/85-28	RM859	109	7420N	15
355/80-20	RM836 *	81	6445N	12
	RM836-2 **	140	6445N	23
360/70-20	RM838	94	6445N	14
360/70-24	RM859	109	7420N	15
360/70-28	RM856	101	6445N	15
380/70-24	RM856	101	6445N	15
380/70-28	RM859	109	7420N	15
380/85-24	RM859	109	7420N	15
380/85-30	RM876	129	7426N	16
380/85-38	RM879	145	7426N	18
385/85-34	RM885	181	9562N	15
385/95-24	2615G	129	6630N	16
395/80-20	2615G	129	6630N	16
400/70-20	RM858	102	7420N	14
400/70-24	RM856	101	6445N	15
405/70-20	2612G	110	6630N	14
420/65-24	RM859	109	7420N	15
420/65-28	RM856	101	6445N	15

*4 link cross chain spacing

** 2 link cross chain spacing

(Continued next page)

Tractor Chains - Ladder (Continued)



DESIGNED FOR MUD AND ROAD SERVICE

TIRE SIZES	Pre-fit chains prior to use. Tire size and lug pattern may vary by tire manufacturer.			
	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Replacement Cross Chain	Cross Chains per ½ Pair
420/70-24	RM869	115	7420N	16
420/70-26	RM876	129	7426N	16
420/70-30	RM876	129	7426N	16
420/85-24	RM874	121	7426N	15
420/85-28	RM876	129	7426N	16
420/85-30	RM877	136	7426N	17
420/90-30	RM877	136	7426N	17
440/80-28	RM884	170	9562N	14
445/65-19.5	2612G	110	6630N	14
460/70-24	RM874	121	7426N	15
460/85-26	RM883	169	9562N	13
460/85-30	RM885	181	9562N	15
460/85-34	RM887	206	9562N	16
480/65-28	RM869	115	7420N	16
480/70-24	RM874	121	7426N	15
480/70-28	RM876	129	7426N	16
480/70-30	RM877	136	7426N	17
480/70-34	RM879	145	7426N	18
480/80-42	RM894	228	9562N	19
480/85-26	RM883	169	9562N	13
480/85-34	RM887	206	9562N	16
495/55-22.5	2612G	110	6630N	14
500/70-34	RM879	145	7426N	18
520/70-26	RM883	169	9562N	13
520/70-30	RM885	181	9562N	15
520/70-34	RM887	206	9562N	16
520/85-38	RM892	233	6650N	18
540/65-26	RM876	129	7426N	16
540/65-28	RM876	129	7426N	16
540/65-30	RM877	136	7426N	17
540/65-34	RM885	181	9562N	15
540/65-38	RM880	160	7426N	20
550/65-25	2636G	202	6650N	15
550/70-25	2636G	202	6650N	15
600-65-25	2642G	248	6650N	18
600/65-28	RM877	136	7426N	17
600/65-34	RM887	206	9562N	16
625/70-20	2645G	364	6660N	15
650/65-38	RM892	233	6650N	18
710/70-38	2657G	451	6670N	17
750/65-25	2657G	451	6670N	17
755/70-25	2657G	451	6670N	17
800/65-32	2657G	451	6670N	17

Tractor Chains – DUO



DESIGNED FOR OFF ROAD USE ONLY



TIRE SIZES	Pre-fit chains prior to use. Tire size and lug pattern may vary by tire manufacturer.			
	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Replacement Cross Chain Stock No.	Cross Chains per ½ Pair
9.5-24	DU0214	102	DU0292N	7
9.5-28	DU0214	102	DU0292N	7
9.5-32	DU0226	116	DU0292N	8
9.5-36	DU0218	136	DU0293N	9
9.5-38	DU0218	136	DU0293N	9
9.5-44	DU0227	179	DU0292N	12
9.5-48	DU0236	181	DU0293N	12
10-32	DU0218	136	DU0293N	9
10-38	DU0232	150	DU0293N	10
10.5/80-18	DU0225	94	DU0293N	6
11-28	DU0218	136	DU0293N	9
11-36	DU0232	150	DU0293N	10
11.2-16	DU0214	102	DU0292N	7
11.2-24	DU0214	102	DU0292N	7
11.2-28	DU0229	120	DU0293N	8
11.2-32	DU0218	136	DU0293N	9
11.2-34	DU0224	130	DU0292N	9
11.2-36	DU0224	130	DU0292N	9
11.2-38	DU0232	150	DU0293N	10
11.2-44	DU0236	181	DU0293N	12
11.2R48	DU0247	172	DU0294N	11
12.00-16.5	DU0225	94	DU0293N	6
12-28	DU0242	142	DU0294N	9
12-36	DU0246	158	DU0294N	10
12.4-24	DU0229	120	DU0293N	8
12.4-28	DU0218	136	DU0293N	9
12.4-36	DU0232	150	DU0293N	10
12.4-38	DU0232	150	DU0293N	10
12.4-48	DU0259	252	DU0297N	14
13.00-24	DU0242	142	DU0294N	9
13.50-16.1	DU0214	102	DU0292N	7
13.6-24	DU0240	128	DU0295N	8
13.6-26	DU0240	128	DU0295N	8
13.6-28	DU0242	142	DU0294N	9
13.6-36	DU0246	158	DU0294N	10
13.6-38	DU0246	158	DU0294N	10
13.9-36	DU0242	142	DU0294N	9
14.9-24	DU0240	128	DU0295N	8
14.9-26	DU0250	148	DU0295N	9
14.9-28	DU0252	160	DU0295N	10
14.9-30	DU0252	160	DU0295N	10
14.9-38	DU0254	180	DU0296N	10
14.9-46	DU0256	236	DU0297N	12
15.5-38	DU0270	194	DU0297N	11

(Continued next page)

Tractor Chains – DUO (Continued)



DESIGNED FOR OFF ROAD USE ONLY



TIRE SIZES	Pre-fit chains prior to use. Tire size and lug pattern may vary by tire manufacturer.			
	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Replacement Cross Chain Stock No.	Cross Chains per ½ Pair
16.9-24	DU0262	162	DU0297N	9
16.9-26	DU0262	162	DU0297N	9
16.9-28	DU0262	162	DU0297N	9
16.9-30	DU0266	178	DU0297N	10
16.9-32	DU0266	178	DU0297N	10
16.9-34	DU0270	194	DU0297N	11
16.9-38	DU0272	218	DU0298N	11
17.5-24	DU0263	135	DU0297N	8
17.5L-24	DU0263	135	DU0297N	8
17.5-25	DU0268	160	DU0298N	8
18.4-16.1	DU0264	118	DU0298N	6
18.4-24	DU0268	160	DU0298N	8
18.4-26	DU0271	180	DU0298N	9
18.4-28	DU0271	180	DU0298N	9
18.4-30	DU0271	180	DU0298N	9
18.4-34	DU0273	198	DU0298N	10
18.4-38	DU0272	218	DU0298N	11
18.4-42	DU0277	234	DU0298N	12
18.4-46	DU0277	234	DU0298N	12
19.5L-24	DU0268	160	DU0298N	9
20.8-34	DU0272	218	DU0298N	12
20.8-38	DU0276	246	DU0299N	12
21L24	DU0275	146	DU0299N	8
21.5-16	DU0264	118	DU0298N	6
21.5L-16.1	DU0264	118	DU0298N	6
23.1-26	DU0280	198	DU0302N	9
23.1-28	DU0280	198	DU0302N	9
23.1-30	DU0281	204	DU0302N	9
23.1-34	DU0282	240	DU0302N	11
24.5-32	DU0282	240	DU0302N	11
28.1-34	DU0282	240	DU0302N	11
40X19X19.5	DU0264	118	DU0298N	7
41x14x20	DU0240	128	DU0295N	8
210/95-32	DU0240	128	DU0295N	8
210/95-36	DU0218	136	DU0293N	9
230/95-38	DU0272	218	DU0298N	12
230/95-40	DU0266	178	DU0297N	10
240/85-24	DU0214	102	DU0292N	7
270/95-36	DU0262	162	DU0297N	9
290/95-34	DU0262	162	DU0297N	9
315/75-15	DU0225	94	DU0293N	6
320/70-24	DU0226	116	DU0292N	8
320/70-28	DU0229	120	DU0293N	8
320/85-20	DU0218	136	DU0293N	9

(Continued next page)

Tractor Chains – DUO (Continued)



DESIGNED FOR OFF ROAD USE ONLY



TIRE SIZES	Pre-fit chains prior to use. Tire size and lug pattern may vary by tire manufacturer.			
	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Replacement Cross Chain Stock No.	Cross Chains per ½ Pair
320/85-28	DU0218	136	DU0293N	9
320/85-34	DU0242	142	DU0294N	9
320/85-38	DU0271	180	DU0298N	9
320/90-42	DU0272	218	DU0298N	12
320/95-34	DU0262	162	DU0297N	9
340/85-24	DU0240	128	DU0295N	8
340/85-28	DU0242	142	DU0294N	9
355/80-20	DU0226	116	DU0292N	8
360/70-20	DU0218	136	DU0293N	9
360/70-24	DU0242	142	DU0294N	9
360/70-28	DU0218	136	DU0293N	9
380/70-24	DU0240	128	DU0295N	8
380/70-28	DU0242	142	DU0294N	9
380/85-30	DU0252	160	DU0295N	10
380/85-38	DU0270	194	DU0297N	11
385/85-34	DU0271	180	DU0298N	9
400/70-24	DU0240	128	DU0295N	8
420/65-24	DU0242	142	DU0294N	9
420/65-28	DU0218	136	DU0293N	9
420/70-24	DU0250	148	DU0295N	9
420/70-26	DU0262	162	DU0297N	9
420/70-30	DU0252	160	DU0295N	10
420/80-46	DU0256	236	DU0297N	12
420/85-24	DU0262	162	DU0297N	9
420/85-28	DU0262	162	DU0297N	9
420/85-30	DU0266	178	DU0297N	10
420/85-34	DU0270	194	DU0297N	11
420/90-30	DU0266	178	DU0297N	10
440/65-24	DU0240	128	DU0295N	8
460/70-24	DU0262	162	DU0297N	9
460/85-26	DU0268	160	DU0298N	9
460/85-30	DU0271	180	DU0298N	9
460/85-34	DU0273	198	DU0298N	10
480/65-28	DU0250	148	DU0295N	9
480/70-24	DU0262	162	DU0297N	9
480/70-28	DU0262	162	DU0297N	9
480/70-30	DU0266	178	DU0297N	10
480/70-34	DU0270	194	DU0297N	11
480/80-30	DU0271	180	DU0298N	9
480/80-38	DU0272	218	DU0298N	11
480/80-42	DU0277	234	DU0298N	12
480/80-46	DU0277	234	DU0298N	12
480/85-26	DU0268	160	DU0298N	9
480/85-34	DU0273	198	DU0298N	10

(Continued next page)

Tractor Chains – DUO (Continued)



DESIGNED FOR OFF ROAD USE ONLY



TIRE SIZES	Pre-fit chains prior to use. Tire size and lug pattern may vary by tire manufacturer.			
	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Replacement Cross Chain Stock No.	Cross Chains per ½ Pair
500/70-34	DU0270	194	DU0297N	11
520/70-26	DU0268	160	DU0298N	9
520/70-30	DU0271	180	DU0298N	9
520/70-34	DU0273	198	DU0298N	10
520/85-38	DU0276	246	DU0299N	12
540/65-26	DU0262	162	DU0297N	9
540/65-28	DU0262	162	DU0297N	9
540/65-30	DU0266	178	DU0297N	10
540/65-38	DU0272	218	DU0298N	12
600/65-28	DU0266	178	DU0297N	10
600/65-34	DU0273	198	DU0298N	10
650/65-38	DU0276	246	DU0299N	12
650/75-32	DU0278	246	DU0299N	12

Tractor Chains – Double Ring



SELF CLEANING
DESIGNED FOR USE ON SOFT TERRAIN



TIRE SIZES	Pre-fit chains prior to use. Tire size and lug pattern may vary by tire manufacturer.			
	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Cross Chain Stock No.	Cross Chains per ½ Pair
7.2-24	NW732	73	NW204N	10
8.3-24	NW732	73	NW204N	10
9.5-24	NW732	73	NW204N	10
9.5-28	NW736	86	NW204N	12
9.5-32	NW738	94	NW204N	13
9.5-36	NW744	120	NW204N	16
9.5-38	NW744	120	NW204N	16
10.5/80-18	NW732	73	NW204N	10
11.00-16	NW732	73	NW204N	10
11.00-38	NW766	150	NW206N	18
11.2-20	NW732	73	NW204N	10
11.2-24	NW736	86	NW204N	12
11.2-28	NW738	94	NW204N	13
11.2-32	NW744	120	NW204N	16
11.2-34	NW744	120	NW204N	16
11.2-36	NW746	124	NW204N	17
11.2-38	NW746	124	NW204N	17
11.2-44	NW766	150	NW206N	18
12.4-16	NW736	86	NW204N	12
12.4-24	NW752	101	NW206N	12
12.4-28	NW756	109	NW206N	13
12.4-38	NW764	140	NW206N	17
12.4-40	NW766	150	NW206N	18
12.4-42	NW766	150	NW206N	18
12.5-18	NW752	101	NW206N	12
12.5-20	NW752	101	NW206N	12
12.5/80.18	NW738	94	NW204N	13
13.5-16.1	NW738	94	NW204N	13
13.6-16	NW738	94	NW204N	13
13.6-24	NW756	109	NW206N	13
13.6-26	NW758	117	NW206N	14
13.6-28	NW759	125	NW206N	15
13.6-36	NW764	140	NW206N	17
13.6-38	NW766	150	NW206N	18
13.9-36	NW766	150	NW206N	18
14.9-24	NW772	128	NW210N	12
14.9-26	NW773	138	NW210N	13
14.9-28	NW774	137	NW210N	14
14.9-30	NW777	159	NW210N	15
14.9-38	NW779	179	NW210N	17
15-22.5	NW752	101	NW206N	12
15.5-38	NW779	179	NW210N	17
16.5-22.5	NW752	101	NW206N	12
16.9-24	NW774	137	NW210N	14

(Continued next page)

Tractor Chains – Double Ring (Continued)



SELF CLEANING
DESIGNED FOR USE ON SOFT TERRAIN



TIRE SIZES	Pre-fit chains prior to use. Tire size and lug pattern may vary by tire manufacturer.			
	Tire Chain Part No.	Lbs./Pr. (Lbs.)	Cross Chain Stock No.	Cross Chains per ½ Pair
16.9-26	NW777	159	NW210N	15
16.9-28	NW777	159	NW210N	15
16.9-30	NW777	159	NW210N	15
16.9-32	NW778	169	NW210N	16
16.9-34	NW779	179	NW210N	17
16.9-38	NW787	194	NW211N	17
18.4-16.1	NW774	137	NW210N	14
18.4-24	NW777	159	NW210N	15
18.4-26	NW783	163	NW211N	14
18.4-28	NW778	169	NW210N	16
18.4-30	NW785	186	NW211N	16
18.4-34	NW787	194	NW211N	17
18.4-38	NW789	218	NW210N	19
19.5L-24	NW783	163	NW211N	14
20.8-34	NW790	240	NW212N	19
20.8-38	NW790	240	NW212N	19
21L-24	NW785	186	NW211N	16
21.5L-16.1	NW773	140	NW210N	13
23.1-26	NW791	216	NW212N	17
23.1-30	NW790	240	NW212N	19
23.1-34	NW795	254	NW212N	20
28L-26	NW790	240	NW212N	19
41x14x20	NW758	117	NW206N	14
320/85R34	NW760	133	NW206N	16
340/80R18	NW732	73	NW204N	10
340/85R24	NW752	101	NW206N	12
340/85R28	NW758	117	NW206N	14
380/85R24	NW756	109	NW206N	13
420/70R24	NW756	109	NW206N	13
420/70R30	NW759	125	NW206N	15
440/80R28	NW777	159	NW210N	15
480/85R34	NW787	194	NW211N	17

Tractor Chains – 9mm Studded

NEW FOR 2015

Manufactured of alloy steel for increased durability.
 9mm studded cross chains provide for aggressive traction in severe conditions.
 Cross chain design prevents them from falling between the lugs of the tire.



Pre-fit chains prior to use. Tire size and lug pattern may vary by tire manufacturer.		
TIRE SIZE	Tire Chain Part No.	Lbs./Pr. Lbs.
11.2 - 24	11224S9	144
11.2 - 28	11228S9	158
12.4 - 20	11224S9	144
12.4 - 24	11228S9	158
12.4 - 28	12428S9	174
12.5/80 - 18	14175S9	141
13.6 - 24	12428S9	174
13.6 - 28	13628S9	188
14 - 17.5	14175S9	141
14.9 - 24	14924S9	200
14.9 - 26	14926S9	196
14.9 - 28	14926S9	196
15 - 19.5	15195S9	154
16.9 - 24	16924S9	198
16.9 - 28	16928S9	216
16.9 - 30	16928S9	216
16.9 - 34	16934S9	236
16.9 - 38	16938S9	251
17.5 - 24	17524S9	200
17.5L-24	17524S9	200
17.5 - 25	16924S9	198
18.4 - 26	18426S9	222
18.4 - 28	18426S9	222
18.4 - 30	16934S9	236
18.4 - 34	16938S9	251
18.4 - 38	18438S9	266

Grader Chains - Ladder

NEW FOR 2015

Manufactured from alloy steel for increased durability.

Square link design for increased traction.



**Pre-fit chains prior to use.
Tire size and lug pattern may vary by tire manufacturer.**

TIRE SIZE	Tire Chain Part No. CARBON STEEL	Lbs./Pr. Lbs.	Replacement Cross Chain Stock No.	Tire Chain Part No. ALLOY	Lbs./Pr. Lbs.	Replacement Cross Chain Stock No.	Cross Chains per 1/2 Pair
13.00-24	2612G	110	6630N	6512GA	126	6530N	14
13.00-25	2612G	110	6630N	6512GA	126	6530N	14
14.00-20	2612G	110	6630N	6512GA	126	6530N	14
14.00-21	2612G	110	6630N	6512GA	126	6530N	14
14.00-24	2615G	129	6630N	6515GA	146	6530N	16
14.00-25	2615G	129	6630N	6515GA	146	6530N	16
15.5-25	2612G	110	6630N	6512GA	126	6530N	14
16.00-20	2624G	164	6640N	6524GA	194	6540N	13
16.00-21	2624G	164	6640N	6524GA	194	6540N	13
16.00-24	2627G	179	6640N	6527GA	226	6540N	15
16.00-25	2627G	179	6640N	6527GA	226	6540N	15
17.5-25	2624G	164	6640N	6524GA	194	6540N	13
18.00-25	2636G	202	6650N	6536GA	239	6550N	15
18.00-24	2636G	202	6650N	6536GA	239	6550N	15
18.00-26	2636G	202	6650N	6536GA	239	6550N	15
18.00-33	2642G	248	6650N	6542GA	290	6550N	18
19.5L-24	2627G	179	6640N	6527GA	226	6540N	15
20.5-25	2633G	193	6650N	6533GA	223	6550N	14
23.5-25	2645G	364	6660N	6545GA	328	6560N	15
25.5-25	2645G	364	6660N	6545GA	328	6560N	15
26.5-25	2657G	451	6670N	6557GA	388	6570N	17

Skid Steer Tire Chains

NEW FOR 2015

2 and 4 link cross chain spacing available.

Manufactured from alloy steel for increased durability.

2 and 4 link cross chain spacing available.




Square link design for increased traction.





**Pre-fit chains prior to use.
Tire size and lug pattern may vary by tire manufacturer.**

TIRE SIZE	CARBON STEEL				ALLOY STEEL			
	4 Link	Lbs. / Pr.	2 Link	Lbs. / Pr.	4 Link	Lbs. / Pr.	2 Link	Lbs. / Pr.
10X16.5	RM829	56	RM829-2	88	SS1501	50.5	SS1501-2	77
12X16.5	RM822	66	RM822-2	106	SS1502	58.5	SS1502-2	93
14-17.5	RM850	74	----	----	SS1503	64.5	SS1503-2	102.5
33x15.5-16.5	RM852	88	----	----	----	----	----	----


Chain Adjusters

	Part No.	Description	Shipping Wt. (lbs.)
	SA270N	Tire Chain Adjuster – Lawn & Garden Tractors SPRING 10" – 20" Rims	1.5
	SA275N	Tire Chain Adjuster – Tractor SPRING 16" – 48" Rims	11.5
	RA101N	Tire Chain Adjuster – Tractor RUBBER 20" – 30" Rims	3.5




Chain Repair Tools

	Part No.	Description	Shipping Wt. (lbs.)
	7303N	Pliers - Large - 18"	7.50
	7302N	Pliers - Extra Large - 33.5"	9


Cross Chain Hooks

	Part No.	Description	Shipping Wt. (lbs.)
	2177N	Side Chain Hook for all Lawn & Garden Chains GT1302, GT1310, GT1311, GT3301, GT3302, GT3308, GT3309, GT3310, GT3315, GT7106, GT7129, GT7156	.04
	2250N	Side Chain Hook for all Lawn & Garden Chains NOT listed with 2177N & 2375N	.10
	2375N	Side Chain Hook for GT5324, GT5324HD GT9100, GT9100HD, RM822 – RM832	.15
	2406N	Side Chain Hook for all DUO, NW & 2612G – 2615G Grader Chains	.31
	2437N	Side Chain Hook for RM836 – RM894 & 2624G – 2642G Grader Chains	.43
	2531N	Side Chain Hook for 2645G & 2657G Grader Chains	.70

Side Chain Fasteners

	Part No.	Description	Shipping Wt. (lbs.)
	5308N	Outside fastener used on all Lawn & Garden tire chains.	.10
	5004N	Outside fastener used on all DUO, NW & RM tire chains.	.60
	5007N	Outside fastener used on all Grader tire chains.	1.0
	1250N	Inside fastener used on all Lawn & Garden tire chains.	.03
	1312N	Inside fastener used on all NW Chains	.06
	1375N	Inside fastener used on all DUO Chains & RM822 – RM879	.09
	1406N	Inside fastener used on RM 884 – RM894 and Grader tire chains.	.21

Side Chain Repair Links

	Part No.	Description	Shipping Wt. (lbs.)
	9118N	Used on all Lawn & Garden chains	.04
	9312N	Used on RM822 – RM880, 2612G & 2615G, all DUO & NW chains	.14
	9375N	Used on RM881 – RM895, 2624G – 2642G	.23
	9500N	Used on 2645G & 2657G	.41

Twist Link – Replacement Cross Chains



Cross Chain Part No.	Used on the following chains	Wire Size	Number of Links	Inside Length With Hooks (Inches)
6434N	RM822, RM829, RM832	.375	11	17.41
6445N	RM836, RM838, RM846, RM852, RM856, RM862	.375	14	21.20
6630N	2612G, 2615G	.375	17	24.99
6640N	2624G, 2627G	.437	15	28.18
6650N	RM890, RM892, 2633G, 2636G, 2642G	.437	19	34.44
6660N	2645G, 2648G	.531	20	39.29
6670N	2657G	.531	23	44.49
7420N	RM850, RM858, RM859, RM866, RM869, RM871	.375	16	23.72
7426N	RM874, RM876, RM877, RM879, RM880	.375	19	27.52
9562N	RM881, RM882, RM883, RM884, RM885, RM887, RM889, RM894	.433	17	31.31
9567N	RM891, RM893	.433	22	39.13
DU0292N	DU0214, DU0224, DU0226, DU0227, DU0228	.375	9	18.35
DU0293N	DU0218, DU0225, DU0229, DU0232	.375	10	20.00
DU0294N	DU0242, DU0246, DU0247	.375	11	21.65
DU0295N	DU0240, DU0250, DU0252	.375	12	23.30
DU0296N	DU0254, DU0260	.375	13	24.95
DU0297N	DU0255, DU0256, DU0259, DU0262, DU0263, DU0266, DU0270	.375	14	26.60
DU0298N	DU0264, DU0268, DU0271, DU0272, DU0273, DU0277	.375	17	31.55
DU0299N	DU0275, DU0276	.375	19	34.88
DU0302N	DU0280, DU0281, DU0282	.375	22	39.80
NW204N	NW732, NW736, NW738, NW744, NW746	.312	5 x 2	19.27
NW206N	NW752, NW756, NW758, NW759, NW760, NW764, NW766	.312	7 x 2	22.78
NW210N	NW772, NW773, NW774, NW777, NW778, NW779	.312	11 x 2	29.78
NW211N	NW783, NW785, NW787, NW789	.312	13 x 2	33.29
NW212N	NW790, NW795, NW791, NW795	.312	15 x 2	36.79

Continuous Twist Link Cross Chains



Part No.	Description	Package Length	Shipping Wt.
3375N	Continuous Twist Link Cross Chain – 3/8"	50 ft.	1.3
3437N	Continuous Twist Link Cross Chain – 7/16"	50 ft.	1.8
3531N	Continuous Twist Link Cross Chain – 17/32"	25 ft.	2.8

Continuous Straight Link Side Chains



Part No.	Description	Package Length	Shipping Wt.
4312N	Continuous Straight Link Side Chain – 5/16"	100 ft.	.70
4375N	Continuous Straight Link Side Chain – 3/8"	50 ft.	1.0
4437N	Continuous Straight Link Side Chain – 7/16"	50 ft.	1.4



Keep It Genuine.

AGCO Parts has one purpose: to keep your investment performing in the field.

We supply genuine parts and accessories, designed and engineered by the same people who made the original equipment. You get a guaranteed fit and the performance that only AGCO Parts can deliver. It's dependability you can rely on with the productivity you've come to expect. Keep your equipment running the way it was meant to run.

